

Dental model analysis report



GAPS








PE-2122-2054



AL959655

ARCH	PRODUCT	QUANTITY
MAXILLARY	ALIGNER	10
MANDIBULAR	ALIGNER	10
	TOTAL	20



Movement Overview: Upper jaw

Initial position | Layer1



#	Ti	R	To	B L	E I	M D
1	0.00 °	0.00 °	0.00 °	0.00 mm	0.00 mm	0.00 mm
2	0.00 °	0.00 °	0.00 °	0.00 mm	0.00 mm	0.00 mm
3	0.00 °	0.00 °	0.00 °	0.00 mm	0.00 mm	0.00 mm
4	0.00 °	0.00 °	0.00 °	0.20 mm	0.00 mm	0.00 mm
5	0.00 °	0.00 °	0.00 °	-0.35 mm	0.00 mm	0.02 mm
6	0.00 °	1.04 °	0.00 °	-1.70 mm	0.00 mm	-0.18 mm
7	1.00 °	-2.64 °	0.00 °	-2.93 mm	0.42 mm	-0.28 mm
8	0.09 °	3.27 °	-1.56 °	-3.32 mm	0.01 mm	-0.02 mm
9	0.00 °	6.91 °	-2.01 °	-3.12 mm	0.11 mm	0.76 mm
10	0.00 °	0.00 °	0.00 °	-2.15 mm	0.41 mm	0.82 mm
11	0.00 °	5.98 °	-2.00 °	-2.19 mm	0.44 mm	0.29 mm
12	0.00 °	0.00 °	0.00 °	-0.39 mm	0.00 mm	0.06 mm
13	0.00 °	0.00 °	0.00 °	0.00 mm	0.00 mm	0.00 mm
14	0.00 °	0.00 °	0.00 °	0.00 mm	0.00 mm	0.00 mm
15	0.00 °	0.00 °	0.00 °	0.00 mm	0.00 mm	0.00 mm
16	0.00 °	0.00 °	0.00 °	0.00 mm	0.00 mm	0.00 mm

Ti	TIP
R	Rotation
To	Torque
B L	Buccal Lingual
E I	Extrusion Intrusion
M D	Mesial Distal

Clear Aligner 1 - 10

TIP	1.00 °
Rotation	2.00 °
Torque	1.00 °
Buccal Lingual	0.35 mm
Extrusion Intrusion	0.10 mm
Mesial Distal	0.30 mm
Distance	0.33 mm
Number of models	10
Template	No
Delay stage to start attachments	No delay
Week\s per aligner	2 Week\s
Necessary time	5 months

Duration of treatment 5 months



Movement Overview: Lower jaw

Initial position | Layer1

#	Ti	R	To	B L	E I	M D
32	0.00 °	0.00 °	0.00 °	0.00 mm	0.00 mm	0.00 mm
31	0.00 °	0.00 °	0.00 °	0.00 mm	0.00 mm	0.00 mm
30	0.00 °	0.00 °	0.00 °	-0.33 mm	-0.03 mm	0.00 mm
29	0.00 °	0.00 °	0.00 °	-1.15 mm	-0.16 mm	-0.17 mm
28	0.00 °	0.00 °	0.00 °	-1.43 mm	-0.27 mm	0.26 mm
27	0.00 °	0.00 °	0.00 °	-2.41 mm	-0.48 mm	0.51 mm
26	0.00 °	6.04 °	0.00 °	-3.10 mm	-0.28 mm	0.03 mm
25	0.00 °	-1.16 °	-2.39 °	-2.97 mm	-0.28 mm	-0.10 mm
24	0.00 °	2.83 °	0.00 °	-2.88 mm	-0.43 mm	0.23 mm
23	0.00 °	-3.54 °	2.00 °	-3.59 mm	-0.13 mm	0.62 mm
22	0.00 °	4.61 °	-3.45 °	-3.44 mm	0.20 mm	0.15 mm
21	0.00 °	0.00 °	0.00 °	-1.90 mm	-0.36 mm	0.30 mm
20	0.00 °	0.00 °	0.00 °	-1.49 mm	-0.28 mm	-0.08 mm
19	0.00 °	0.00 °	0.00 °	0.00 mm	0.00 mm	0.00 mm
18	0.00 °	0.00 °	0.00 °	0.00 mm	0.00 mm	0.00 mm
17	0.00 °	0.00 °	0.00 °	0.00 mm	0.00 mm	0.00 mm

Ti	TIP
R	Rotation
To	Torque
B L	Buccal Lingual
E I	Extrusion Intrusion
M D	Mesial Distal







Clear Aligner 1 - 10

TIP	1.00 °
Rotation	2.00 °
Torque	1.00 °
Buccal Lingual	0.36 mm
Extrusion Intrusion	0.10 mm
Mesial Distal	0.30 mm
Distance	0.36 mm
Number of models	10
Template	No
Delay stage to start attachments	No delay
Week\s per aligner	2 Week\s
Necessary time	5 months

Duration of treatment 5 months



Initial position



Final position

